

HARNESS RACING AUSTRALIA

Approved Sulkies List



The safety and well-being of licence holders and racing animals is critical to the success of Harness Racing. Gear and equipment testing and approval is a key component of this success. The Standard for Safety and Performance of Sulkies (Sulky Standard) Test procedures were developed to greatly improve the quality of sulkies being used. This testing, coupled with the removal of inside running rails and banning of wooden shafted sulkies have seen significant improvements in safety.

The sulky testing consists of three major components:

- Dynamic Load
- TestStatic Load
- TestTrack Test

Full details of these tests are found in HRA's Sulky Standard

Sulky manufacturers and distributors are also required to notify HRA of any proposed changes and have these approved prior to them being made. HRA reserves the right to have the changes fully tested under the Sulky Standard.

Any modifications to sulkies are to be notified using HRA's Sulky Modification Application Form.

Approved Sulkies List

Clause 15.2 of HRA's Standard for Safety and Performance of Sulkies refers to Lists of Approved Sulkies, Materials and Components - HRA's Approved Sulkies List.

This List has two parts:

Part A: Approved Sulkies - all sulkies that are approved for racing and trials? in Australia and includes materials, notes and a quick inspection guide (photo).

Part B: Previously Approved Sulkies - all sulkies previously approved but not eligible for use in races after 1 September 1995.

The Sulky Standard Clause 2.3 envisages and encourages development within the object and scope of this standard (Refer: Notes on current Shaft Material)

For further information please contact Harness Racing Australia.

Offset Sulkies - Banned 1 September 2020

Offset Sulkies Reminder- Banned 1 September 2020 - HRA Press Release - 11 June 2020

Offset Sulky Modifications - HRA Press Release - 1 May 2020

Offset Sulky Reminder - Banned from 1 September 2020 - HRA Press Release - 3 September 2019

Offset Sulkies - Reminder - HRA Press Release - 27 July 2018

Offset Sulkies - Phasing Out - HRA Press Release - 1 September 2015

HRA's APPROVED SULKIES LIST

PART A: Approved Sulkies:

The following sulkies are approved in accordance with HRA's Approved Sulky Policy and Sulky Standards

Sulky Manufacturer / Sulky Name	Length	Width	Shaft Material	Approved	Notes / Photos	Ref.
ADVANTAGE SULKIES	Distributor - Jenny Lewis					
ADVANTAGE TOMAHAWK 1.3	2.820m	1.298m	Chrome Moly 4130	<u>26/07/2017</u>	<u>Photo</u>	721
AUSSIE ECLIPSE SULKIES	Gavin Crone & Steven Doyle					
AUSSIE ECLIPSE	2.93m	1.285m	Stainless Steel 316	<u>30/08/2011</u>	<u>Photo</u>	700
AUSSIE REDBACK SPIDER SULKIES	Graham Taylor					
AUSSIE REDBACK SPIDER MARK 1	3.090m	1.290m	Chrome Moly 4130 and Mild Steel	<u>15/06/2012</u>	<u>Photo</u>	703
AUSTRALIAN STANDARDBREDS P/L (Vic)	Distributor - Glenn Mitchell					
ADVANTAGE STA	2.77m	1.240m	Tempered Steel	<u>13/05/2011</u>	<u>Photo</u>	698
BOLT SULKY INNOVATIONS PTY LTD						
BOLT	2.879m-3.100m (adjustable)	1.260m	Chrome Moly 4130 (shafts)	<u>1/07/2014</u>	<u>Photo</u>	714
INSAIN BOLT	2.54m-2.84m (adjustable)	1.300m	Chrome Moly 4130 (shafts)	<u>1/12/2016</u>	<u>Photo</u>	720

HRA's APPROVED SULKIES LIST

PART A: Approved Sulkies:

The following sulkies are approved in accordance with HRA's Approved Sulky Policy and Sulky Standards

Sulky Manufacturer / Sulky Name	Length	Width	Shaft Material	Approved	Notes / Photos	Ref.
CHALLENGER (NZ)	Barry Eeles					
CHALLENGER FORCE	2.285m	1.297m	Stainless Steel Type 304	<u>9/08/2011</u>	<u>Photo</u> <u>Note: Product Recall on Challenger Sprint Plastic Wheels Serial Nos 3948 to 4525 - April 2004</u> <u>Note: Update on Product Recall - May 2004.</u>	699
CHALLENGER MK2 SPRINT 2000	3.06m	1.21m	Stainless Steel Type 304 (430)			507
CHALLENGER VIPER	2900m	1.298m	Stainless Steel Type 304	<u>1/05/2014</u>	<u>Photo</u>	712
CHALLENGER WIDER VERSION	3.06m	1.205m	Stainless Steel Type 304 (430)			506
CHALLENGER X-BIKE S20-003	2.79m	1.300m	Chrome Moly 4130, 304 and 316 Stainless Steel	<u>20/09/2022</u>	<u>Photo</u>	726
CONTINENTAL (NZ)						
MK2	2.86m	1.30m	Stainless Steel Type 304 (430)			520
DOOZA ENGINEERING (Vic)	Travis Harrington					
DOOZA	2.910m	1.290m	Stainless Steel/Mild Steel	<u>7/01/2013</u>	<u>Photo</u>	707
DOOZA EXTREME	1.300m	2.700m	Stainless Steel/Mild Steel	<u>1/07/2015</u>	<u>Photo</u>	716
DOWNUNDER SULKY COMPANY (Vic)	S & T Loftus					
RAZOR	2.945m	1.290m	Chrome Moly 4130	<u>5/03/2012</u>	<u>Photo</u>	698
RAZOR ULTIMATE	2.800m	1.300m	Chrome Moly 4130 Stainless Steel and Aluminium	<u>1/10/2015</u>	<u>Photo</u>	718
AVENGER SULKY	2.850m	1.300m	Chrome Moly 4130	<u>2/05/2018</u>	<u>Photo</u>	724

HRA's APPROVED SULKIES LIST

PART A: Approved Sulkies:

The following sulkies are approved in accordance with HRA's Approved Sulky Policy and Sulky Standards

Sulky Manufacturer / Sulky Name	Length	Width	Shaft Material	Approved	Notes / Photos	Ref.
THE PHOENIX	2.870m	1.30m	4130 Chromoly steel, stainless steel, aluminium	<u>21/10/2025</u>	<u>Photo</u>	
DUX IN BRISBANE (Qld)	Michael Dux					
FEATHERLITE	2.950m	1.300m	4130 Chromoly steel, 431 stainless steel, 2205 stainless steel	<u>21/07/2023</u>	<u>Photo</u>	727
MISSILE	2.890m	1.300m	Chrome Moly 4130 (shafts) Alloy (rest of sulky)	<u>30/11/2013</u>	<u>Photo</u>	711
MISSILE XTREME S20-002	2.950m	1.300m	Chromoly steel, stainless steel	<u>18/01/2021</u>	<u>Photo</u>	759
MISSILE SE	2.950m	1.300m	Chromoly alloy	<u>14/06/2024</u>	<u>Photo</u>	760
EASY RIDE SULKIES (Vic)	Steven & Peter Lindberg					
EASY RIDE KP 316 (modified 2016)	2.940m	1.294m	Stainless Steel Type 316	<u>22/03/2012</u>	<u>Photo</u>	702
EVOLUTION RACING	Tom Harmer					
EVOLUTION PRO 2AA	2.84m	1.29m	Aircraft Tubing - 4130 Steel		<u>Photo</u>	525
FLITE	Alex Spozetta					
DROP BACK	3.05m	1.205m	Stainless Steel Type 304 (430)			625
Mk2	2.85m	1.30m	Stainless Steel Type 304 (430)			617
Mk3	2.85m	1.30m	Stainless Steel Type 304 (430)			618
NO FRILLS	3.06m	1.205m	Stainless Steel Type 304 (430)			620
STANDARD	3.05m	1.205m	Stainless Steel Type 304 (430)			621

HRA's APPROVED SULKIES LIST

PART A: Approved Sulkies:

The following sulkies are approved in accordance with HRA's Approved Sulky Policy and Sulky Standards

Sulky Manufacturer / Sulky Name	Length	Width	Shaft Material	Approved	Notes / Photos	Ref.
FRANK RANALDI ENTERPRISES (WA)						
UFO 600 Series (Offset 6%) (BANNED effective 16/03/2015)	3.010m	1.300m	Chrome Moly 4130		Note: Sale of all UFO Sulkies (originally approved 1/10/2012) are banned, effective 16/03/2015. <u>All Offset Sulkies Banned - from 1 September 2020</u> Photo	706
FRANK RANALDI ENTERPRISES (WA) (cont)						
UFO Aussie Alien (non-offset variation) (BANNED, effective 15/12/2014)	3.010m	1.300m	Chrome Moly 4130		Note: Sale of all UFO Aussie Alien Sulkies (originally approved 1/07/2014) are banned, effective 15/12/2014. Photo View Press Release <u>All Offset Sulkies Banned - from 1 September 2020</u> For further information contact HRA	715
GARRARDS HORSE & HOUND (Qld)						
PENNSBURY	2.910m	1.285m	Chrome Moly 4130	1/04/2013	Photo	709
RIO METEOR	2.800m	1.297m	Chrome Moly 4130	1/04/2013	Photo	708
RIO SPRINTER DELUXE (all stainless steel)	2.97m	1.27m	Stainless Steel Type 304 (430)		Photo	680
RIO SPRINTER DELUXE MKII	2.84m	1.3m	Mild Structural Steel Pro Moly	15/12/2010	Photo	681
RIO COBRA	2.96m	1.295m	Chrome Moly 4130	19/11/2018	Photo <u>26/07/2023 - temporary suspension</u> <u>12/10/2023 - suspension lifted</u>	725
UFO ECLIPSE	2.950m	1.3m	4130 chromoly steel	21/07/2023	Photo	728

HRA's APPROVED SULKIES LIST

PART A: Approved Sulkies:

The following sulkies are approved in accordance with HRA's Approved Sulky Policy and Sulky Standards

Sulky Manufacturer / Sulky Name	Length	Width	Shaft Material	Approved	Notes / Photos	Ref.
HOPKINS SADDLERY (SA)						
SPRINTWELL SUB 2	3.099m	1.205m	Stainless Steel Type 304 (430)	<u>15/02/2011</u>		697
SPRINTWELL SCORPION	3.020m	1.295m	Stainless Steel Type 304	<u>16/07/2012</u>	<u>Photo</u>	704
J.A. SULKIES (Vic)						
John Azzopardi						
PACESETTER DELUXE			Stainless Steel Type 304			713
KINGSTON EXPRESS SULKIES (Vic)						
Steve Martin						
KINGSTON EXPRESS	2.80m	1.300m	Stainless Steel Type 304	<u>22/09/2017</u>	<u>Photo</u>	722
					<u>Retest - Approved 02/01/2021</u>	
MELVILLE (SA)						
STANDARD	3.14m	1.21m	Stainless Steel Type 304 (430)			685
RAM RACING TRAILERS (VIC)						
RAM RACER	2.94m	1.300m	Stainless Steel Type 304	<u>20/04/2018</u>	<u>Photo</u>	723
REGAL SULKIES (NSW)						
R.J. Walsh & Son Pty Ltd						
200NF WIDER VERSION	3.05m	1.21m	Stainless Steel Type 304 (430)		manufacture discontinued 1/03/2004	551
DB620 WIDER VERSION	3.05m	1.21m	Stainless Steel Type 304 (430)			564
I.S. MARK 1 SYMMETRICAL	2.84m	1.30m	Stainless Steel Type 304 (430)			553
I.S. MARK 3 SYMMETRICAL	2.84m	1.30m	Stainless Steel Type 304 (430)			554
I.S. MARK 5 OFFSET (6%)	2.84m	1.30m	Stainless Steel Type 304 (430)			555

HRA's APPROVED SULKIES LIST

PART A: Approved Sulkies:

The following sulkies are approved in accordance with HRA's Approved Sulky Policy and Sulky Standards

Sulky Manufacturer / Sulky Name	Length	Width	Shaft Material	Approved	Notes / Photos	Ref.
MUSTANG	3.05m	1.21m	Stainless Steel Type 304 (430)		was TP601 Wider Version - name changed as of 1/03/2004	566
SPEEDSTAR 700	3.06m	1.27m	Stainless Steel Type 304 (430)			570
SPEEDSTAR 705	2.93m	1.27m	Stainless Steel Type 304 (430)			571
SPEEDSTER 709	2.83m	1.27m	Stainless Steel Type 304 (430)			572
SPEEDSTER 713	2.78m	1.27m	Stainless Steel Type 304 (430)			573
SPEEDSTAR 718	2.64m	1.27m	Stainless Steel Type 304 (430)			574
REGAL SULKIES (NSW) (cont)		R.J. Walsh & Son Pty Ltd				
TAIPAN	2.85m	1.30m	Chrome Moly 4130N	<u>10/07/2012</u>	<u>Photo</u>	705
<p><u>Note: The use of Regal Taipan Sulkies in races, trials or training has been suspended, effective 08/08/2016. For further information, please read HRA press release</u></p>						
TP605 WIDER VERSION	3.05m	1.21m	Stainless Steel Type 304 (430)			568
Note: Models 200 NFW/95; TP601W/95 and 555 supplied with wheel discs and mudguards as standard equipment						592
SPYDER BIKE INC (NSW)		William Siow				
SUPER SPYDER AUS SULKY	2.900m	1.300m	Chrome Moly 4130	<u>26/02/2019</u>	<u>Photo</u>	750

HRA's APPROVED SULKIES LIST

PART A: Approved Sulkies:

The following sulkies are approved in accordance with HRA's Approved Sulky Policy and Sulky Standards

Sulky Manufacturer / Sulky Name	Length	Width	Shaft Material	Approved	Notes / Photos	Ref.
SPYDER SULKIES (NSW)						
	McCarthy Racing Stables					
SPYDER SULKY	3.085m	1.275m	Chrome Moly 4130N	<u>18/11/2011</u>	<u>Photo</u>	698
SPYDER GORILLA	2.850m	1.280m	Chrome Moly / Stainless Steel tips	<u>25/08/2016</u>	<u>Photo</u>	719
					Approved with the proviso a bar or plate is securely attached across the back of the two bars under the seat and must be checked by a Steward before use.	
SPYDER PHANTOM	2.850m	1.300m	Chrome Moly 4130	<u>23/02/2024</u>	<u>Photo</u>	729
STARLITE INDUSTRIES (Vic)						
	Glenn Mitchell					
ADVANTAGE SLA STARLITE (Offset 1%)	2.490m	1.295m	Chrome Moly 4130	<u>1/04/2013</u>	<u>Photo</u>	710
DELUXE	2.85m	1.300m	Chrome Moly 4130			717
STATESMAN EXPRESS (SA)						
STATESMAN EXPRESS	3.10m	1.21m				530
WIDER VERSION	2.85m	1.21m	Stainless Steel Type 304 (430)			531
SULKY TACK (NZ)						
	Maurice Pruden					
WHIPLASH SONIC	2.76M	1.30M	Chrome Moly 4130 & Stainless Steel	<u>1/07/2015</u>	<u>Photo</u>	530
TASMAN (Vic)						
MODIFIED	2.90m	1.30m	Stainless Steel Type 304 (430)			644

HRA's APPROVED SULKIES LIST

PART A: Approved Sulkies:

The following sulkies are approved in accordance with HRA's Approved Sulky Policy and Sulky Standards

Sulky Manufacturer / Sulky Name	Length	Width	Shaft Material	Approved	Notes / Photos	Ref.
TEL-STAR MANUFACTURING INC (Qld)	Michael Dux					
TSUNAMI STINGER	2.380m	1.250m	Aluminium (banned effective 1/05/2014)	<u>24/09/2010</u>	<u>29/04/2014 - Shaft Replacement Programme Announced - Chrome Molybdenum</u>	696
UPSTART SULKIES (Vic)	J. Spiteri					
UPSTART	3.06m	1.23m	Stainless Steel Type 304 (430)			695
VITESSE SULKIES (SA)	R. Webster					
VITESSE RIDE	3.045m	1.290m	Chrome Moly 4130N Stainless Steel 316	<u>28/10/2011</u>	<u>Photo</u>	697

Effective Date of Implementation: 14th June 1992, and various dated amendments

Copyright Harness Racing Australia Inc.

All material in this Report is the intellectual property of Harness Racing Australia Inc (HRA).

It may not be reproduced, copied, stored in a retrieval system, displayed publicly, transmitted nor utilized for any commercial purposes without permission.

For permission, apply to: Harness Racing Australia Inc

Data included in this Report reflects the current state of the HRA database. While HRA makes every effort to ensure the information in the database is accurate, no liability is accepted for any errors or omissions.

HRA's APPROVED SULKIES LIST

Part B: Previously Approved Sulkies - require special permission to use

The following sulkies were previously approved by HRA, but are not eligible for use in races after 1/09/1995 unless Special Permission from the Chairman of Stewards is obtained (designated *)

Sulky Manufacturer / Sulky Name	Length	Width	Shaft Material	Approved	Notes	Ref.
AEROLITE (WA)						
AEROLITE	3.057M	1.30M		440		527
MK2	3.057M	1.30M		440		528
AVION MACKIE (WA)						
AUSSIE ROUND BACK	3.06M	1.17M*	--	-		655
AUSSIE SPRING BACK	3.06M	1.17M*	--	-		656
BERRYMAN (Vic)						
BERRYMAN	3.06M	1.17M*		-		670
BREWER (Freebairn)						
STANDARD	3.08M	1.19M*	Wood - Hickory	435		540
ULTRA (Extra) NARROW	3.08M	1.02M*	Wood - Hickory	435		541
BRYANT (NZ)						
BRYANT	3.06M	1.20M	Wood - Hickory	435		501
CHALLENGER (NZ)						
CHALLENGER (NZ)	3.06M	1.18M*	Stainless Steel Type 304	430		505
SPEEDLITE (NZ)	3.06M	1.19M*	Wood - Hickory	435		510
BROWN ROYAL SPEED	3.06M	1.17M	Wood - Hickory	435		525

HRA's APPROVED SULKIES LIST

Part B: Previously Approved Sulkies - require special permission to use

The following sulkies were previously approved by HRA, but are not eligible for use in races after 1/09/1995 unless Special Permission from the Chairman of Stewards is obtained (designated *)

Sulky Manufacturer / Sulky Name	Length	Width	Shaft Material	Approved	Notes	Ref.
CLARK (NSW)						
STANDARD DELUXE	3.06M	1.17M	Wood	--		630
DELUXE	3.06M	1.17M	Wood	--		631
COLLINS (NZ)						
SPEEDCART	3.01M	1.29M	Wood - Spotted Gum	436		690
FLITE (NSW) Alex Spozetta						
BASIC	3.06M	1.175M	Wood - Spotted Gum	436		610
STANDARD	3.06M	1.175M	Wood - Spotted Gum	436		611
SPECIAL	3.06M	1.175M	Wood - Spotted Gum	436		613
STANDARD Wider Version		1.21M	Wood - Spotted Gum	436		612
SPECIAL Wider Version		1.21M	Wood - Spotted Gum	436		614
DELUXE Wider Version Mk1	2.85M	1.205M	Wood - Spotted Gum	436		616
DELUXE	3.06M	1.175M	Wood - Spotted Gum	436		615
HAMILL (Vic)						
STANDARD	3.06M	1.17M*	--	-		650
DELUXE	3.06M	1.17M*	--	-		651
J.A. SULKIES (Vic) John Azzopardi						
STANDARD	3.06M	1.17M*	Wood - Spotted Gum	436		545
DELUXE	3.06M	1.17M*	Wood - Spotted Gum	436		546
STANDARD Wider Version	3.11M	1.21M		430/436		547
DELUXE Wider Version	3.11M	1.21M		430/436		548

HRA's APPROVED SULKIES LIST

Part B: Previously Approved Sulkies - require special permission to use

The following sulkies were previously approved by HRA, but are not eligible for use in races after 1/09/1995 unless Special Permission from the Chairman of Stewards is obtained (designated *)

Sulky Manufacturer / Sulky Name	Length	Width	Shaft Material	Approved	Notes	Ref.
MERCER (NSW)						
STANDARD	3.06M	1.17M	Wood	--		675
SPECIAL	3.06M	1.17M	Wood	--		676
DELUXE	3.06M	1.17M	Wood	--		677
PACESETTER (Vic)						
	John Azzopardi					
Wider Version		1.205M		430/436		534
BASIC	3.06M	1.18M*	Wood - Spotted Gum	436		535

HRA's APPROVED SULKIES LIST

Part B: Previously Approved Sulkies - require special permission to use

The following sulkies were previously approved by HRA, but are not eligible for use in races after 1/09/1995 unless Special Permission from the Chairman of Stewards is obtained (designated *)

Sulky Manufacturer / Sulky Name	Length	Width	Shaft Material	Approved	Notes	Ref.
DELUXE	3.06M	1.18M*	Wood - Spotted Gum	436		536
SPECIAL	3.06M	1.18M*	Wood - Spotted Gum	436		537
STANDARD	3.06M	1.18M*	Wood - Spotted Gum	436		538
DROP BACK	3.06M	1.18M*	Wood - Spotted Gum	436		539
PARKER (NSW)						
STANDARD	3.06M	1.17M*	--	-		660
DELUXE	3.06M	1.17M*	--	-		661
REGAL SULKIES (NSW) Jim Walsh						
200NF	3.06m	1.17M*		430		550
201NF	3.06m	1.17M*		430		550
TTS Standard	3.06m	1.17M*		430		560
TTS Special	3.06m	1.17M*		430		561
Deluxe 505	3.06m	1.17M*		430		562
DB620	3.06M	1.17M		430		563
TP601	3.06M	1.17M*		430		565
TP605	3.06M	1.17M*		430		567
RJW STANDARD	3.06M	1.17M	Wood	--		580
RJW DELUXE	3.06M	1.17M	Wood	--		581
KIT SET (to 1980)	3.06M	1.17M	Wood	--		582
2MC	3.06M	1.17M	Wood	--		583
3MC	3.06M	1.17M	Wood	--		584
REGAL SWIFT	3.06M	1.17M	Wood	--		585
REGAL SWIFT SPECIAL	3.06M	1.17M	Wood	--		586

HRA's APPROVED SULKIES LIST

Part B: Previously Approved Sulkies - require special permission to use

The following sulkies were previously approved by HRA, but are not eligible for use in races after 1/09/1995 unless Special Permission from the Chairman of Stewards is obtained (designated *)

Sulky Manufacturer / Sulky Name	Length	Width	Shaft Material	Approved	Notes	Ref.
REGAL SWIFT DELUXE	3.06M	1.17M	Wood	--		587
REGAL SWIFT DELUXE Wider Version	3.05M	1.21M	Wood	--		588
PACEMASTER	3.06M	1.17M	Wood	--		589
PACEMASTER Wider Version	3.05M	1.21M	Wood	--		590
EGAN	3.06M	1.17M		435/436		591
RYDELITE (NZ)						
Standard		1.22M	Wood - Laminate	438		515
Special		1.22M	Wood - Laminate	438		516
SWIFT(NSW)						
	McMillan					
STANDARD	3.06M	1.18M	Wood	--		600
SPECIAL	3.06M	1.18M	Wood	--		601
DELUXE	3.06M	1.18M	Wood	--		602

HRA's APPROVED SULKIES LIST

Part B: Previously Approved Sulkies - require special permission to use

The following sulkies were previously approved by HRA, but are not eligible for use in races after 1/09/1995 unless Special Permission from the Chairman of Stewards is obtained (designated *)

Sulky Manufacturer / Sulky Name	Length	Width	Shaft Material	Approved	Notes	Ref.
SWIFT (NSW)						
	Hansell					
STANDARD	3.06M	1.17M	Wood	--		605
DELUXE	3.06M	1.17M	Wood	--		606
AVANTI DELUXE	3.06M	1.17M	Wood	--		607
POPULAR DELUXE	3.06M	1.17M	Wood	--		608
TAIT (NSW)						
DELUXE	3.06m	1.17m	Wood	--		635
TASMAN (Vic)						
HI FLYER	3.06M	1.17M	Wood	--		640
STANDARD	3.06M	1.17M	Wood	--		641
SPECIAL	3.06M	1.17M	Wood	--		642
DELUXE	3.06M	1.17M	Wood	--		643
TEL-STAR MANUFACTURING INC (QLD)						
Tsunami Sulky	2.380M	1.250M	Aluminium		Tsunami Sulkies with Aluminium <u>29/04/2014 - Shaft Replacement Programme Announced - Chrome Molyndenum</u>	696
Tsunami Stinger	2.380M	1.250M	Aluminium		Tsunami Stinger Sulkies with <u>29/04/2014 - Shaft Replacement Programme Announced - Chrome Molyndenum</u>	701

HRA's APPROVED SULKIES LIST



Part B: Previously Approved Sulkies - require special permission to use

The following sulkies were previously approved by HRA, but are not eligible for use in races after 1/09/1995 unless Special Permission from the Chairman of Stewards is obtained (designated *)

Sulky Manufacturer / Sulky Name	Length	Width	Shaft Material	Approved	Notes	Ref.
TURNER (NSW/Vic)						
DELUXE	3.06M	1.17M*	--	-		665

Effective date of Implementation: 14th June 1992, and various dated amendments

Copyright Harness Racing Australia Inc.

All material in this Report is the intellectual property of Harness Racing Australia Inc (HRA).

It may not be reproduced, copied, stored in a retrieval system, displayed publicly, transmitted nor utilized for any commercial purposes without permission.

For permission, apply to: Harness Racing Australia Inc

Data included in this Report reflects the current state of the HRA database. While HRA makes every effort to ensure the information in the database is accurate, no liability is accepted for any errors or omissions.